

## AUTHOR INDEX

- Alton, G. 145  
Amochaeva, V.Y. 211  
Aso, D. 177
- Baker, D.C. 315  
Bar-Guilloux, E. 1  
Basu, S. 335  
BeMiller, J.N. 93, 101  
Berger, A. 67  
Bernabé, M. 289  
Bhattacharyya, T. 335  
Bílik, V. 203  
Black, T.S. 195  
Blanchard, J.S. 45  
Bock, K. 87  
Brewer, C.F. 45  
Brovanskaya, O.S. 275
- Chivers, P.T. 9  
Cosani, A. 301
- Defaye, J. 1  
Dietrich, H. 161
- Ekhart, C. 67  
El Sadek, M.M. 323  
El Soccary, N.N. 323  
Ermert, P. 113
- Focher, B. 301
- Giannis, A. 19  
Gilson, R.J. 93, 101  
Gómez-Miranda, B. 289  
Gradnig, G. 67  
Gregson, J.M. 129
- Hehre, E.J. 45  
Horton, D. 231, 249, 261  
Huber, R.E. 9
- Jiménez-Barbero, J. 289  
Jiricek, R. 31  
Johnson, S.C. 315
- Kashem, M.A. 129, 145  
Kiss, L. 195  
Knirel, Y.A. 275  
Kocharova, N.A. 275  
Kochetkov, N.K. 211, 275  
Koh, D. 231, 249, 261  
Korth, A. 67
- Lai, W. 185  
Le, N. 87  
Leal, J.A. 289  
Legler, G. 67, vii  
Lehmann, J. 1, 31  
Lemieux, R.U. 87  
Liessem, B. 19
- Marsano, E. 301  
Martin, O.R. 185  
Matsui, H. 45  
Matulová, M. 203  
Moskalenko, N.V. 275  
Muras, V.A. 275  
Murata, T. 57  
Musser, J.H. C1  
Myers, R.W. 93, 101
- Nardin, R. 1  
Nashed, M.A. C1  
Nieger, M. 19  
Nifant'ev, N.E. 211, 275  
Nikrad, P.V. 145
- Ogawa, K. 57  
Ogawa, S. 177
- Padmaperuma, B. 79  
Palcic, M.M. 87  
Prieto, A. 289
- Rob, B. 31  
Robic, D. 1  
Rupitz, K. 113
- Sandhoff, K. 19  
Santoro, M.M. 93, 101

Scheuring, M. 31  
Schmidt, R.R. 161  
Shashkov, A.S. 211, 275  
Sinnott, M.L. 79  
Skrydstrup, T. 87  
Stütz, A.E. 67

Tagliaferri, F. 315  
Takagi, Y. 261  
Tanaka, Y. 45  
Terbojevich, M. 301  
Tull, D. 195

Urbahns, K. 1  
Usui, T. 57

Varbanets, L.D. 275  
Vasella, A. 113  
Venot, A.P. 129, 145

Weber, M. 113  
Withers, S.G. 113, 195  
Wlasichuk, K.B. 129, 145  
Wu, E. 327  
Wu, Q. 327

Yabuuchi, Y. 57  
Yadav, M.P. 93  
Young, J.M. 275

Zagzoug, N.B. 323

## SUBJECT INDEX

- Acarviosin, synthesis and inhibitory activity of eight analogues of methyl, containing a 1,6-anhydro bridge, 177
- 2-Acetamido-1,4-imino-1,2,4-trideoxy-D-galactitol as competitive inhibitor of the human lysosomal  $\beta$ -hexosaminidase A, 19
- Affinity labels for a  $\beta$ -glycosidase and a cellulase, *N*-bromoacetyl-glycopyranosylamines as, 195
- Affinity purification and characterisation of invertase from yeast using 2,5-dideoxy-2,5-imino-D-mannitol and -D-glucitol as substrate analogs, 67
- D-Aldopentoses, unprotected, Wittig reaction of with stabilized ylides: metal-ion effects, 231
- D-Allose, D-altrose, D-gulose, and D-idose, NMR studies of molybdate complexes of, 203
- Aminosubstituted  $\alpha$ -D-glucosylmethylbenzenes and an *N*-(*C*- $\alpha$ -D-glucosylmethyl)aniline, novel  $\alpha$ -D-glucosidase inhibitors, 161
- Amylase from *Streptomyces griseus*, transglycosylation reaction of maltotriose-forming, 57
- Amyloglucosidase substrate recognition as evaluated from its interaction with conformationally biased isomaltosides, 87
- 1,2-Anhydro hexopyranoses, preparation from hexopyranose 2-tosylates by internal displacement, 327
- N*-Bromoacetyl- $\beta$ -D-glucopyranosylamine and *N*-bromoacetyl- $\beta$ -cellobiosylamine as affinity labels for a  $\beta$ -glucosidase and a cellulase, 195
- Cell-wall polysaccharides isolated from *Alphanoascus mephitalus* and related species, chemical structure and conformational features of, 289
- Chemoenzymic synthesis of analogues of the sialyl Lewis<sup>x</sup> and sialyl<sup>a</sup> tetrasaccharides, 145
- Chemoenzymic synthesis of sialylated and fucosylated oligosaccharides having an *N*-acetyl-lactosaminyl core, 129
- Chitosan samples, high-performance gel-permeation chromatography of, 301
- Conformational features of cell-wall polysaccharides isolated from *Alphanoascus mephitalus* and related species, 289
- Conformationally biased isomaltosides as substrate analogs for amyloglucosidase, 87
- 1,3-Diamino-1,3-dideoxy-tetritols and their cyclic carbonic and thiocarbonic amides as competitive inhibitors for glycoside hydrolases, 31
- Diazomethyl  $\beta$ -D-galactopyranosyl ketone, suicide-substrate inactivation of  $\beta$ -galactosidase, 101
- 2,5-Dideoxy-2,5-imino-D-mannitol and -D-glucitol as glucosidase inhibitors, 67
- 2,5-Dideoxy-2,5-imino-D-mannitol and D-glucitol from 5-azido-5-deoxy-D-glucofuranose and -L-idofuranose, a chemo-enzymic synthesis, 67
- Diels–Alder cycloaddition to unsaturated sugars, stereocontrol in: reactivities of *cis* dienophiles with cyclopentadiene, 261
- Diels–Alder cycloaddition to unsaturated sugars, stereocontrol in: reactivities of acyclic seven-carbon *trans* dienophiles derived from aldopentoses, 249
- Fucosylated and sialylated oligosaccharides having an *N*-acetyl-lactosaminyl core, chemoenzymic synthesis, 129
- Fucosyltransferase of human milk, use in the chemoenzymic synthesis of analogues of the sialyl Lewis<sup>x</sup> and sialyl Lewis<sup>a</sup> tetrasaccharides, 145
- ( $\beta$ -D-Galactopyranosylmethyl)amines, *N*-substituted, as reversible inhibitors of  $\beta$ -D-galactosidase, 93
- $\beta$ -D-Galactosidase, *N*-substituted ( $\beta$ -D-galactopyranosylmethyl)amines as reversible inhibitors of, 93

- $\beta$ -Galactosidase, suicide-substrate inactivation of, by diazomethyl  $\beta$ -D-galactopyranosyl ketone, 101
- $\beta$ -Galactosidases of *Escherichia coli* with substitutions for GLU-461 can be activated, by nucleophiles and can form  $\beta$ -D-galactosyl adducts, 9
- Galactosyl adducts,  $\beta$ -galactosidases of *Escherichia coli* with substitutions for GLU-461 can be activated by nucleophiles and can form  $\beta$ -D-, 9
- Gel-permeation chromatography of chitosan samples, high-performance, 301
- D-Glucopyranoside, synthesis of 2,3-di-O-glycosyl derivatives of methyl  $\alpha$ - and  $\beta$ -, 211
- $\beta$ -Glucosidase and cellulase affinity labels, 195
- $\alpha$ -D-Glucosidase inhibitors, aminosubstituted  $\alpha$ -D-glucosylmethylbenzenes and an *N*-(C- $\alpha$ -D-glucosylmethyl)aniline as novel, 161
- C-(D-Glycopyranosyl)methylamines, synthesis and inhibition studies of, 185
- Glycosidase catalysis, hydrolysis of  $\alpha$ - and  $\beta$ -D-glucosyl fluoride by individual glucosidases: new evidence for separately controlled "plastic" and "conserved" phases in, 45
- Glycosidases, hydrolysis of glycosylpyridinium ions by anomeric-configuration-inverting, 79
- Glycoside hydrolase inhibition by 1,3-diamino-1,3-dideoxy-tetritols and their cyclic carbonic and thiocarbonic amides, 31
- Glycosyl derivatives of methyl  $\alpha$ - and  $\beta$ -D-glucopyranoside, synthesis of 2,3-di-O-, 211
- Glycosylpyridinium ions, hydrolysis by anomeric-configuration-inverting glycosidases, 79
- Hexopyranose 2-tosylates and their facile conversion into 1,2-anhydro hexopyranoses by internal displacement, 327
- High-performance gel-permeation chromatography of chitosan samples, 301
- Hydrolysis of glycosylpyridinium ions by anomeric-configuration-inverting glycosidases, 79
- Hydrolysis of  $\alpha$ - and  $\beta$ -D-glucosyl fluoride by individual glucosidases: new evidence for separately controlled "plastic" and "conserved" phases in glycosidase catalysis, 45
- Inhibition studies and synthesis of C-(D-glycopyranosyl)methylamines, 185
- Inhibitors of  $\alpha$ -D-glucosidase, synthesis of aminosubstituted  $\alpha$ -D-glucosylmethylbenzenes and an *N*-(C- $\alpha$ -D-glucosylmethyl)aniline as, 161
- Inositol 3-(hydrogenphosphate), synthesis of the 3-C-(phosphonomethyl) analogue of 1d-*myo*-, 315
- $\beta$ -Lactosides, a facile and regioselective synthesis of partially benzoylated 3,4-O-isopropylidene-, as standardized key intermediates for sialyl Lewis X (sLe<sup>x</sup>) analogues, c1
- Lipopolysaccharide, primary structure of the polysaccharide chain of virulent *Pseudomonas solanacearum* biotype II, 335
- Lipopolysaccharides of *Pseudomonas solanacearum*, studies of O-specific polysaccharide chains consisting of structurally different repeating units, 275
- Maltotriose-forming amylase from *Streptomyces griseus*, transglycosylation reaction of, 57
- Metal-ion effects: Wittig reaction of unprotected D-aldopentoses with stabilized ylides, 231
- Methyl acarviosin, synthesis and inhibitory activity of eight analogues containing a 1,6-anhydro bridge, 177
- Methyl-5-(D-*arabino*-tetrahydroxybutyl)-3-furoylhydrazine, reactions of 2-, 323
- Methyl  $\alpha$ - and  $\beta$ -D-glucopyranoside, synthesis of 2,3-di-O-glycosyl derivatives of, 211
- Molybdate complexes of D-allose, D-altrose, D-gulose, and D-idose, NMR studies of, 203
- NMR studies of molybdate complexes of D-allose, D-altrose, D-gulose, and D-idose, 203
- Nojiritetrazoles, a new class of glycosidase inhibitors, 113
- Nojiritetrazoles, selective transition state analogue inhibitors of glycosidases, 113
- (Phosphonomethyl) analogue of 1d-*myo*-inositol 3-(dihydrogenophosphate), synthesis of the 3-C-, 315
- "Plastic" and "conserved" phases in glycosidase catalysis, hydrolysis of  $\alpha$ - and  $\beta$ -D-glucosyl fluoride by individual glucosidases: new evidence for separately controlled, 45
- Polysaccharide chain of virulent *Pseudomonas solanacearum* biotype II lipopolysaccharide, primary structure, 335
- Polysaccharide chains of *Pseudomonas solanacearum* lipopolysaccharide consisting of structurally different repeating units, studies of O-specific, 275
- Polysaccharides isolated from *Aphanoascus mephitalus* and related species, chemical structure and conformational features of cell-wall, 289
- Pseudo-disaccharides as potential affinity reagents for trehalase, synthesis and evaluation of diastereoisomeric alkylating, 1

- Pseudomonas solanacearum* biotype II lipopolysaccharide, primary structure of the polysaccharide chain of virulent, 335
- Pseudomonas solanacearum* lipopolysaccharides, studies of O-specific polysaccharide chains consisting of structurally different repeating units, 275
- Reactions of 2-methyl-5-(D-arabino-tetrahydroxybutyl)-3-furoylhydrazine, 323
- Sialylated and fucosylated oligosaccharides having an N-acetylglucosaminyl core, chemoenzymic synthesis, 129
- Sialyl Lewis X (sLe<sup>x</sup>) analogues, a facile and regioselective synthesis of partially benzoylated 3,4-O-isopropylidened  $\beta$ -lactosides as standardized key intermediates for, c1
- Sialyl Lewis<sup>x</sup> and sialyl Lewis<sup>a</sup> tetrasaccharides, use of human milk fucosyltransferase in the chemoenzymic synthesis of analogues, 145
- Substitutions for GLU-461 can be activated by nucleophiles and can form  $\beta$ -D-galactosyl adducts,  $\beta$ -galactosidases of *Escherichia coli* with, 9
- Sugar moiety of methyl acarviosin, synthesis and inhibitory activity of eight analogues containing a 1,6-anhydro bridge obtained by chemical modification of the, 177
- Synthesis and evaluation of diastereoisomeric alkylating pseudo-disaccharides as potential affinity reagents for trehalase, 1
- Synthesis and inhibition studies of C-(D-glycopyranosyl)methylamines, 185
- Synthesis of 2-actamido-1,4-imino-1,2,4-trideoxy-D-galactitol and competitive inhibition of the human lysosomal  $\beta$ -hexosaminidase A, 19
- Synthesis of the 3-C-(phosphonomethyl) analogue of 1d-myo-inositol 3-(dihydrogenophosphate), 315
- 2-Tosylates of hexopyranoses, facile conversion into 1,2-anhydro hexopyranoses by internal displacement, 327
- Transglycosylation reaction of maltotriose-forming amylase from *Streptomyces griseus*, 57
- Transition state analogue inhibitors of glycosidases, 113
- Trehalase, synthesis and evaluation of diastereoisomeric alkylating pseudo-disaccharides as potential affinity reagents for, 1
- Unsaturated sugars, stereocontrol in Diels–Alder cycloaddition to: reactivities of acyclic seven-carbon *trans* dienophiles derived from aldopentoses, 249
- Unsaturated sugars, stereocontrol in Diels–Alder cycloaddition to: reactivities of *cis* dienophiles with cyclopentadiene, 261
- Wittig reaction of unprotected D-aldopentoses with stabilized ylides: metal-ion effects, 231



